L Number	Hits	Search Text	DB	Time stamp
-	407	(((database and data value and attribute and profil$3 and table and merg$3 and overflow) and (stor$3 near3 data)) and ((entry entries) with attribute)) and (attribute near3 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/20 17:32
-	93	(((database and data value and attribute and profil$3 and table and merg$3 and overflow) and (stor$3 near3 data)) and ((entry entries) with attribute) and (value near3 attribute)) and (multiple near3 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/20 17:36
-	18	((((database and data value and attribute and profil$3 and table and merg$3 and overflow) and (stor$3 near3 data)) and ((entry entries) with attribute)) and (attribute near3 table)) and (merg$3 near3 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 13:57
-	2	(((database and data value and attribute and profil$3 and table and merg$3 and overflow) and (stor$3 near3 data)) and ((entry entries) with attribute) and (value near3 attribute)) and (overflow with table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/20 17:37
-	50	merged adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:46
-	51	overflow adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:46
-	19	(merged adj table) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:46
-	18	(overflow adj table) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:55
-	146	database and (multiple near3 value near3 attribute) and (table group$3 categor$5 sort$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:59
-	27	((((database and data value and attribute and (pars$3 profil$3) and table and merg$3 and overflow) and (stor$3 near3 (value data))) and ((entry entries) with attribute)) and (attribute near3 table)) and (merg$3 near3 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 14:00
-	27	(((((database and data value and attribute and (pars$3 profil$3) and table and merg$3 and overflow) and (stor$3 near3 (value data))) and ((entry entries) with attribute)) and (attribute near3 table)) and (merg$3 near3 table)) and (single multiple (multiple adj2 value) (multi-value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 15:17
-	70	(database (data adj base)) and ((attribute) with (data near3 (sort$3 categor$5 profil$4 pars$4)) with table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:08

		70	(database (data adj base)) and ((attribute) with (data near3 (sort$3 categor$5 profil$4 pars$4)) with table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 08:22
-		18	((database (data adj base)) and ((attribute) with (data near3 (sort$3 categor$5 profil$4 pars$4)) with table)) and pars$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 17:27
-		27	(database (data adj base)) and attribute and (((information value data) near3 (sort$3 categor$5 profil$4 pars$4)) same ((sav$3 stor$3 record$3) near3 ((merg$3 join$3 overflow attribute) near3 table)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 11:31
-		13	(database (data adj base)) and attribute and (((information value data) near3 (categor$5 profil$4 pars$4)) same ((sav$3 stor$3 record$3) near3 ((merg$3 join$3 overflow attribute) near3 table)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 09:56
-		51	(database (data adj base)) and attribute and (((information value data) near3 (dcfin$3 categor$5 profil$4 pars$4)) same ((sav$3 stor$3 record$3) near3 ((merg$3 join$3 overflow attribute) near3 table)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 09:06
-		13	((database (data adj base)) and attribute and (((information value data) near3 (categor$5 profil$4 pars$4)) same ((sav$3 stor$3 record$3) near3 ((merg$3 join$3 overflow attribute) near3 table)))) and (single multiple multi-valu$2 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 10:05
-		13	(((database (data adj base)) and attribute and (((information value data) near3 (categor$5 profil$4 pars$4)) same ((sav$3 stor$3 record$3) near3 ((merg$3 join$3 overflow attribute) near3 table)))) and (single multiple multi-valu$2 value)) and (table merg$3 join$3 overflow default)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 10:05
-		27	((database (data adj base)) and attribute and (((information value data) near3 (sort$3 categor$5 profil$4 pars$4)) same ((sav$3 stor$3 record$3) near3 ((merg$3 join$3 overflow attribute) near3 table)))) and (single multiple multi-valu$2 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 10:05
-		27	(((database (data adj base)) and attribute and (((information value data) near3 (sort$3 categor$5 profil$4 pars$4)) same ((sav$3 stor$3 record$3) near3 ((merg$3 join$3 overflow attribute) near3 table)))) and (single multiple multi-valu$2 value)) and (table merg$3 join$3 overflow default)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 10:06
-		1	778235.ap. and (database (data adj base)) and attribute and (((information value data) near3 (sort$3 categor$5 profil$4 pars$4)) same ((sav$3 stor$3 record$3) near3 ((merg$3 join$3 overflow attribute) near3 table))) and (single multiple multi-valu$2 value) and (table merg$3 join$3 overflow default) and (overflow single entr$3 multiple multi many one more merg$3 join$ combin$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 11:43
-		1	(778235.ap. and (database (data adj base)) and attribute and (((information value data) near3 (sort$3 categor$5 profil$4 pars$4)) same ((sav$3 stor$3 record$3) near3 ((merg$3 join$3 overflow attribute) near3 table))) and (single multiple multi-valu$2 value) and (table merg$3 join$3 overflow default) and (overflow single entr$3 multiple multi many one more merg$3 join$ combin$3)) and (recogni$3 identif$5 pars$3 profil$3 operation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 11:45
-		5	"636626" .pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 15:45

-	2	"6366926" .pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 15:45
-	853	(((analyz$5 categor$5 pars$3 organiz$5) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:11
-	93	(((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:29
-	6	((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and ((multiple many) near4 value) and ((single one) near4 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:30
-	39	((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:30
-	0	(((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))) not ((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:19
-	33	(((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))) not ((((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and ((multiple many) near4 value) and ((single one) near4 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:19
-	63	(((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same ((merg$3 join$3 attribut$3) with table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:40
-	6	(((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same ((merg$3 join$3 attribut$3) with table))) and (((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value)))) not ((((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))) not (((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and ((multiple many) near4 value) and ((single one) near4 value)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:31
-	0	((((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same ((merg$3 join$3 attribut$3) with table))) and (((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value)))) not ((((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))) not (((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and ((multiple many) near4 value) and ((single one) near4 value)))) not (((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and ((multiple many) near4 value) and ((single one) near4 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:31

| | | 33 | ((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same ((merg$3 join$3 attribut$3) with table))) and (((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/05 13:33 |
| - | | 1 | (((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same ((merg$3 join$3 attribut$3) with relation)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/05 13:41 |

C:\APPS\EAST\Workspaces\09316754.wsp